



MOT. 366.905-910 | 912-915 | 917-919 | 930-940
MOT. 356.901-916


OM 366

Mercedes-Benz –





S ⊕ *	826.750	1x	-	-	Mot. 366.905-907/909/910/913/914/ 917/919/930/932/933/936/938/940 Mot. 356.901/902/904-908/910/911/ 913/915
S ⊕ *	826.783	1x	-	-	Mot. 366.918/931/935/937 Mot. 356.903/909/916
ES	813.877	1x	366 010 61 20	-	-
CS *	817.481	1x	366 010 44 08	-	-
OKS	828.181	1x	366 180 37 65	-	-
ZKS	820.075	1x	-	-	-
1	760.678	1x	366 010 06 20	-	-
2	768.820	1x	366 016 03 21	-	-
3	768.929	3x	366 141 07 80	-	-
4	461.873	4x	366 142 08 80	-	-
5	577.898	6x	366 053 00 58	-	E
5	577.901	6x	366 053 01 58	-	A
6	827.428	1x	102 018 03 80	38,5x59x2,3 HNBR A	-
7	977.160	1x	366 015 01 80	-	-
8	768.804	1x	366 015 00 20	-	-
9	553.272	1x	014 997 16 47	AW/BS RD FPM 65x90x12	-
10	837.549	2x	001 997 41 41	-	-
12	351.939	1x	366 015 00 60	-	-
14	112.802	1x	352 076 02 80	-	-> Mot. 049438
14	a.A.	1x	011 997 16 48	119x125x3 NBR RD	Mot. 049439 ->
14/1	a.A.	1x	014 997 61 48	78x84x3 ACM RD	-
15	a.A.	1x	001 074 22 80	-	-
16	716.200	1x	000 997 00 40	28x36x2 NBR A	-
17	731.269	1x	000 477 35 80	-	-
18	768.033	1x	366 201 04 80	-	-
19	344.400	1x	003 997 51 46 005 997 00 47	A NBR 42x56x7	-
19/1	a.A.	1x	005 997 11 45	62x68x3 NBR RD	-
19/4	054.003	1x	002 997 84 46 005 997 01 47	A NBR 17x35x7	-
19/5	a.A.	1x	000 201 04 63	-	-
19/6	190.608	1x	000 201 01 97	-	-
19/7	768.961	1x	364 201 02 80	-	-
20	577.804	1x	000 201 92 19	-	-
21	a.A.	2x	011 997 70 48	-	-
22	768.979	1x	366 203 02 80	-	-
23	088.872	1x	020 997 11 48	-	-
26	a.A.	1x	364 184 02 80	-	-
27	305.308	1x	006 997 25 48	-	-> Mot. 286114 (1993)
27	-	1x	019 997 36 48	-	Mot. 286115 -> (1993)
28	284.734	1x	366 010 06 80	-	Mot. 366.905-907/909/910/913/914/ 917/919/930/932/933/936/938/940 Mot. 356.901/902/904-908/910/911/ 913/915
28	-	1x	366 010 06 80	einteilig single-piece mono pièce monopieza in un pezzo unico из одной части	Mot. 366.905-907/909/910/913/914/ 917/919/930/932/933/936/938/940 Mot. 356.901/902/904-908/910/911/ 913/915
28	893.110	1x	366 010 07 80	-	Mot. 366.918/931/935/937 Mot. 356.903/909/916
28	088.854	1x	352 010 04 80	-	Mot. 366.908/912/915/939 Mot. 356.912/914
31	031.046	1x	007603 026109	26x34x2 DIN 7603 CU A	-
33	768.863	1x	366 131 02 80	0,65 mm (94 mm Ø Cyl.)	-
33	768.871	1x	366 131 01 80	0,9 mm (94 mm Ø Cyl.)	-



35	a.A.	6x	388 017 01 60	1 mm	-
35	067.989	6x	346 017 02 60	1,5 mm	-
36	776.262	6x	016 997 82 48	30,8x38,2x3,7 FPM RD	-
37	175.811	6x	352 078 00 80	-	-
39	a.A.	1x	352 015 03 80	-	-
43	775.657	1x	366 188 02 80	-	-
48	768.988	1x	366 203 03 80	-	-
52	-	2x	366 018 02 80	-	Mot. 366.905/907/910/914/919/930/ 932/933/936
52/1	-	2x	366 018 04 80	-	Mot. 366.906/909
54	829.773	1x	366 188 05 80	-	-
64	-	1x	366 141 09 80	-	Mot. 366.906/909